

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	35304	(doped near regions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 10:59
L14	875	13 near8 (N-Well or (N near Well))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:00
L15	37090	(varactor or (variable near (capacitor or capacitance)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:02
L16	1142	(resistor or resistance) near8 ((oxide near region) or (field near oxide) or FOX)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:03
L17	277653	(voltage near drop) or (electrical near resistance) or (Ohm\$3 near law)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:04
L18	14267	voltage-controlled near oscillator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:05
L19	49546	15 or 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:08
L20	3	19 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:08

EAST Search History

L21	3	15 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:09
-----	---	-----------	---	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22523	(varactor or (variable near capacitance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 08:34
L2	10694	resistor near8 (oxide or STI or FOX or (field adj oxide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 08:34
L3	33	L1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 08:51
L4	188	(257/312).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 09:46
L5	100	(257/480).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 10:12
L6	334	(257/E29.344).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 10:13
L7	11	("3396317" "3634738" "3636420" "3638300" "3706128" "3860945" "4226648" "4373166" "4827319" "5965912").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/11 10:31
L9	125	(257/E27.049).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 10:31

EAST Search History

L10	13	("20040026750" "20040082124" "5198687" "6392277" "6528849" "6576958" "6608747" "6630376" "6635518" "6642607" "6646305" "6700151" "6764891").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/11 10:35
L12	1	((doped near region) and (N-Well or (N near Well)) and gate and (power or voltage) and (varactor or (variable near4 (capacitor or capacitance))))).clm.	US-PGPUB	OR	ON	2007/01/11 10:50